

APPENDIX 11

DIRECTED AMENDMENTS TO SCHEDULE 10

SCHEDULE 10

CO to NBAP DP Connection

SCHEDULE 10

CO TO NBAP DP CONNECTION

CONTENTS

<u>1. SCOPE</u>	1
<u>2. SERVICE LEVEL GUARANTEES</u>	1
<u>3. SERVICE DESCRIPTION AND ACCESS POINTS</u>	3
<u>4. ORDERING AND PROVISIONING PROCEDURE</u>	4
<u>5. CO TO NBAP DP CONNECTION REQUEST</u>	4
<u>6. DELIVERY</u>	7
<u>7. RESPONSIBILITY AT OPENNET FDF</u>	9
<u>8. DEACTIVATION</u>	9
<u>9. STANDARD TERMS AND CONDITIONS</u>	10
<u>10. ACCESS AND APPROVALS REQUIRED</u>	11
<u>11. FAULT REPORTING AND CLEARING</u>	11
<u>12. SERVICE LEVEL AVAILABILITY</u>	13
<u>13. PROTECTION AND SAFETY</u>	14
<u>14. TERM OF LICENCE</u>	14
<u>15. SUSPENSION</u>	14
<u>16. TERMINATION OF LICENCE</u>	15
<u>17. REDUNDANCY SERVICE</u>	17
<u>ANNEX 10A: REQUEST FORM FOR CO TO NBAP DP CONNECTION</u>	

SCHEDULE 10

CO TO NBAP DP CONNECTION

1. SCOPE

This Schedule 10 sets out the terms and conditions under which OpenNet will provide the Requesting Licensee with a licence for Layer 1 Service (a service provided by OpenNet for the use of passive optical fibre cable) from OpenNet's designated Central Office (or "CO") to a Non-Building Address Point Distribution Point (NBAP DP) (**CO to NBAP DP Connection**).

- 1.1 This Schedule only applies to Requesting Licensees who are FBOs.

2. SERVICE LEVEL GUARANTEES

CLAUSE 2.1 – DIRECTED AMENDMENTS

- 2.1 OpenNet will provide the Service Level Guarantees in respect of the CO to NBAP DP Connection as set out in this Schedule. If OpenNet fails to meet any service activation period, Mean Time To Recovery or service level availability (collectively called the **Service Level Guarantees**) applicable to this Schedule and the failure to meet the Service Level Guarantees is solely ~~and directly~~ caused by OpenNet, ~~or~~ its contractors and/or suppliers, OpenNet will provide a remedy in the form of a rebate to the Requesting Licensee in accordance with:

IDA considers that OpenNet's proposed modifications are not fully compliant with IDA's 3 July 2009 Directed Modifications, because it seeks to limit OpenNet's liability where it is an indirect cause of the failure to meet Service Level Guarantees. Further, the requirement of "directly" represents an unnecessary impediment to Requesting Licensees making appropriate claims for rebates.

Accordingly, IDA directs OpenNet to amend this clause 2.1 in the manner specified above.

- (i) clause 6.8 and any terms and conditions contained in this Schedule in respect of request and provisioning timeframes;
- (ii) clause 11.14 and any terms and conditions contained in this Schedule in respect of fault rectification timeframes; and

- (iii) clause 12.1 and any terms and conditions contained in this Schedule in respect of service level availability.

CLAUSE 2.2 – APPROVED

- 2.2 A claim by the Requesting Licensee shall be made in writing within thirty (30) Calendar Days of the completion of the relevant calendar month on which the Service Level Guarantees are measured. The amount in respect of any claim shall be paid to the Requesting Licensee in the form of a rebate. The Requesting Licensee acknowledges that a failure to make a claim within the specified timeframes under this paragraph means that the Requesting Licensee waives any entitlement to the Service Level Guarantee payment in respect of that claim.
- 2.3 If the Requesting Licensee is entitled to a rebate pursuant to the claim made hereunder, the amount of the rebate will be credited into the Requesting Licensee's account after it has been processed by OpenNet and will be reflected in OpenNet's bill to the Requesting Licensee in accordance with OpenNet's billing cycle.
- 2.4 The guarantee and rebates provided by OpenNet are:
 - (i) of an ex-gratia nature and personal to the Requesting Licensee and are non-transferable; and
 - (ii) subject to this Schedule.
- 2.5 Despite anything to the contrary in this section, if the Requesting Licensee qualifies for any claim, OpenNet shall honour its obligations in respect of that claim but in the event of a dispute as to whether the Requesting Licensee qualifies for a claim or as to the quantum of the claim payable to the Requesting Licensee, the dispute shall be resolved in accordance with the Dispute Resolution Procedures in Schedule 17 of the ICO Agreement, or in the case of a Billing Dispute, in accordance with Schedule 16 of the ICO Agreement.
- 2.6 In addition to the specific terms and conditions of the Service Level Guarantees, the Service Level Guarantees shall not apply in any of the following circumstances:

CLAUSES 2.6(a) AND 2.6(c) - APPROVED

- (a) the CO to NBAP DP Connection is disconnected and/or reconnected by reason of it being suspended under the terms and conditions of this Schedule or ICO Agreement, except where the suspension is due to OpenNet's fault;
- (b) fault due to any equipment, wiring and/or cabling owned or operated by the Requesting Licensee or on behalf of the Requesting Licensee;
- (c) provision or restoration of the CO to NBAP DP Connection where any site-coordination meeting, Joint Investigation Meeting or fault identification coordination meeting is involved, except where (a) the fault was caused by OpenNet; and (b) the Requesting Licensee has not contributed to any delay in setting up the meeting. Notwithstanding the above, in determining whether the Service Level Guarantees have been met by OpenNet, the time taken from the start of arranging any site-coordination meeting, Joint Investigation Meeting or fault identification coordination meeting up to the end of the meeting, shall always be excluded;

CLAUSE 2.6(d) – DIRECTED AMENDMENTS

- (d) where OpenNet needs to obtain or maintain any licence or permission necessary to the provision or restoration of the CO to NBAP DP Connection. Notwithstanding the above, in determining whether the Service Level Guarantees have been met by OpenNet, the time taken by OpenNet to obtain or maintain any licence or permission necessary to the provision or restoration of the CO to NBAP DP Connection shall always be excluded;

Where OpenNet needs to obtain or maintain any licence or permission which is necessary to the provision or restoration of the CO to NBAP DP Connection, IDA considers it fair and reasonable that the Service Level Guarantees shall apply except that the time taken for obtaining or maintaining the licence or permission shall be excluded in the determination of the Service Level Guarantees, since OpenNet would be able to resume the provisioning or restoration of the service upon obtaining or maintaining the licence or permission.

Accordingly, IDA directs OpenNet to amend this clause 2.6(d) in the manner specified above

- (e) OpenNet has difficulty accessing the NBAP DP location;

- (f) delay in the provision or restoration of the CO to NBAP DP Connection caused by events beyond OpenNet's reasonable control;
- (g) OpenNet network outages for which the Requesting Licensee has not reported a fault;

CLAUSE 2.6(h) - APPROVED

- (h) fault is reported by the Requesting Licensee but no fault is found or confirmed after due and careful investigation, and verification by OpenNet;
- (i) OpenNet is required to carry out scheduled service interruption and the Requesting Licensee has been informed in accordance with clause 9.5; or

CLAUSE 2.6(j) - APPROVED

- (j) OpenNet is required to carry out fibre diversion at the request of the Government Agencies, private developers or other relevant parties and the Requesting Licensee has been informed in accordance with clause 9.5.

2.7 If the Requesting Licensee disputes OpenNet's reason for rejection, its records and/or the amount of rebate, the Requesting Licensee shall not be entitled to be credited with any rebate until and unless the dispute has been resolved.

2.8 A failure by OpenNet to meet any Service Level Guarantee does not constitute a breach of the ICO Agreement or this Schedule.

2.9 The Requesting Licensee acknowledges that the relevant remedy provided under clause 2.1 is a genuine pre-estimate of the Requesting Licensee's loss and will be the sole and exclusive remedy available to the Requesting Licensee for such failure to meet the relevant Service Level Guarantees for the CO to NBAP DP Connection and shall be OpenNet's sole and exclusive liability to the Requesting Licensee for such failure.

3. SERVICE DESCRIPTION AND ACCESS POINTS

3.1 OpenNet will provide a licence for the CO to NBAP DP Connection to the Requesting Licensee with the following:

- (a) one (1) fibre strand from OpenNet's Fibre Distribution Frame (**FDF**) at the Central Office designated by OpenNet to OpenNet's FDF at the NBAP DP;
- (b) one (1) Patching Service at OpenNet's FDF at the NBAP DP; and
- (c) one (1) Patching Service at OpenNet's FDF in the Central Office.

CLAUSE 3.2 - APPROVED

3.2 The Requesting Licensee shall access the CO to NBAP DP Connection at OpenNet's FDF at the Central Office designated by OpenNet or the Requesting Licensee's FDF at the Central Office designated by OpenNet, and at OpenNet's FDF at the NBAP DP.

4. ORDERING AND PROVISIONING PROCEDURE

4.1 The Requesting Licensee shall submit its request for the CO to NBAP DP Connection (**Request**) to OpenNet on a Business Day in the form of Annex 10A stating, but not limited to the following information:

- (a) the Customer's name and telephone number for the CO to NBAP DP Connection;

CLAUSE 4.1(b) – DIRECTED AMENDMENTS

- (b) the NBAP DP address and a map demonstrating the location of the NBAP DP; and

Arising from the deletion of the former clause 4.1(d), IDA directs OpenNet to insert "and" at the end of clause 4.1(b).

CLAUSE 4.1(c) - DIRECTED AMENDMENTS

- (c) the Global Positioning System (GPS) coordinates, height (in metres, relative to ground level), and a broad description of the NBAP ~~FDP~~ location. and

IDA notes a typographical error in clause 4.1(c) and accordingly directs OpenNet to amend this clause 4.1(c) in the manner specified above.

FORMER CLAUSE 4.1(d) – DIRECTED AMENDMENTS

~~(d) where applicable, the Transmission Tie Cable Port to which the CO to NBAP DP Connection is to be connected at the Central Office.~~

OpenNet should be the party assigning the Transmission Tie Cable Port to which the CO to NBAP DP Connection is to be connected at the Central Office instead of the Requesting Licensee since OpenNet is responsible for OpenNet’s Fibre Distribution Frame at the Central Office.

Accordingly, IDA directs OpenNet to delete former clause 4.1(d) in its entirety.

4.2 Relocation of the CO to NBAP DP Connection is not allowed.

4.3 OpenNet shall at its sole discretion determine the serving CO from which the CO to NBAP DP Connection will be provided.

CLAUSE 4.4 – DIRECTED AMENDMENTS

4.4 Initially, information relating to the Mandated Services will be available on OpenNet’s website, for access by the Requesting Licensee through secured means. The secured access to OpenNet’s website will require the payment of a Per User Account eCharge (specified in clause 14 of Schedule 15 (Charges)) for each user account created. Initially, information relating to network outages will be sent to the Requesting Licensee via email. The information relating to the Mandated Services and the information relating to network outages shall be made available on the OpenNet Platform in due course. For the avoidance of doubt, such Per User Account Charge shall not be re-imposed when the information relating to Mandated Services is made available on the OpenNet Platform.

For the avoidance of doubt, IDA considers that there is merit to make clear that the applicable charge is the user account charge and that it would be unreasonable to impose the user account charge a second time upon the OpenNet Platform becoming available.

Accordingly, IDA directs OpenNet to amend this clause 4.4 in the manner as specified above.

5. CO TO NBAP DP CONNECTION REQUEST

CLAUSE 5.1 - APPROVED

- 5.1 OpenNet shall process all Requests for the CO to NBAP DP Connection on a 'first come, first served' basis.

CLAUSE 5.2 - DIRECTED AMENDMENTS

- 5.2 For each ~~Business Day~~week, OpenNet shall process a combined total of no more than ~~410-2050~~ Requests for Basic Mandated Services and Layer 1 Redundancy Services (**Maximum Quota**) from all Requesting Licensees, and a ~~daily-week~~ roll-over mechanism shall apply for additional Requests beyond the Maximum Quota. For avoidance of doubt, OpenNet will process additional Requests beyond the Maximum Quota in the next available week on a 'first come, first served' basis.

IDA is of the view that a weekly roll-over mechanism where OpenNet will process 2050 Requests per week is less restrictive than OpenNet's proposed daily roll-over mechanism where OpenNet will process only 410 Requests per Business Day because OpenNet will process more than 410 Requests on a certain Business Day (subject to a total of 2050 Requests in a week) if there is high demand on that particular Business Day. In addition, IDA is of the view that OpenNet should provide more clarity on the weekly roll-over mechanism,

Accordingly, IDA directs OpenNet to amend this clause 5.2 in the manner as specified above.

- 5.3 Within ~~twenty-one (201)~~ Business Days of the date on which OpenNet receives the request for the CO to NBAP DP Connection (Request Date) and subject to clause 5.2, OpenNet will ~~complete its Project Study (not applicable for clauses 5.3(a), 5.3(b), 5.3(c) and 5.3(d)) and~~ notify the Requesting Licensee (and shall provide the Requesting Licensee with a unique reference number or a similar form of identification in the notification) whether its Request is ~~accepted (and if accepted, the service activation period), or if rejected,~~ for any one of the following reasons:

- (a) the Request for CO to NBAP DP Connection is not in the prescribed form;

(b) the Request does not contain all the required information or the information provided is inaccurate or misleading; or

(c) the Requesting Licensee has committed a material breach of the ICO Agreement or this Schedule;

5.4 Within twenty (20) Business Days of the Request Date and subject to clause 5.2, OpenNet will complete its Project Study (not applicable for clauses 5.4(a)) and notify the Requesting Licensee (and shall provide the Requesting Licensee with a unique reference number or a similar form of identification in the notification) whether its Request is accepted, or if rejected, for any one of the following reasons:-

(e)(a) the NBAP DP location is deemed to be inaccessible;

(d)the Requesting Licensee has committed a material breach of the ICO Agreement or this Schedule;

(e)(b) the equipment or services that the Requesting Licensee proposes to use or to provide interfere with, or cause deterioration to services supplied by OpenNet;

(f)(c) there is obstruction from building owner, building management, home owner, End-User, property owner or relevant authorities to OpenNet installation or installation schedule;

CLAUSE 5.4(d) - DIRECTED AMENDMENTS

(d) the Transmission Tie Cable (installed pursuant to Co-location Service in Schedule 12) for connection to the CO to NBAP DP Connection is ~~not yet~~ to be operational at the point in time of OpenNet's provisioning of the NBAP CO to NBAP DP Connection;

IDA considers that there is merit to make clear that it is the Requesting Licensee's responsibility to ensure the Transmission Tie Cable will be operational in time for OpenNet to provision the CO to NBAP DP Connection.

Accordingly, IDA directs OpenNet to amend this clause 5.4(d) in the manner specified above.

FORMER CLAUSE 5.3(h) - DIRECTED AMENDMENTS

- (e) ~~(f) the Transmission Tie Cable Port to be connected at the Central Office in relation to the Request for CO to NBAP DP Connection is already in use;~~

IDA refers to IDA's annotations to former clause 4.1(d). Since OpenNet is the party assigning the Transmission Tie Cable Port and not the Requesting Licensee, the scenario where the Transmission Tie Cable Port is already in use would not arise and should not be a reason for rejection of a Request.

Accordingly, IDA directs OpenNet to delete former clause 5.3(h) in its entirety.

- ~~(f)~~ OpenNet has not rolled out its Network to the designated Building MDF Room serving the NBAP DP location; or

FORMER CLAUSE 5.3(j) - DIRECTED AMENDMENTS

- (g) ~~(h) OpenNet needs to increase capacity to provide the CO to NBAP DP Connection; or~~

Under clause 6.2, OpenNet is required to increase capacity in accordance with the service activation period stated therein if there is insufficient capacity. Hence, OpenNet's need to increase capacity should not be a reason for rejection of a Request.

Accordingly, IDA requires OpenNet to delete former clause 5.3(j) in its entirety.

- ~~(h)~~ there are security and confidentiality requirements or restrictions imposed on OpenNet by Government Agencies.

IDA considers it reasonable to expect OpenNet to be able to assess whether the Requesting Licensee's application is to be rejected for the reasons described in clauses 5.3(a), 5.3(b), and 5.3(c) within one (1) Business Day instead of twenty (20) Business Days as proposed by OpenNet since the assessment contemplated therein is relatively straightforward.

Accordingly, IDA directs OpenNet to amend clauses 5.3 and 5.4 in the manner specified above.

FORMER CLAUSE 5.4 – DIRECTED AMENDMENTS

~~5.4 Notwithstanding anything in clause 5.3 to the contrary, OpenNet shall give a qualified acceptance to the Requesting Licensee with a revised service activation period if:~~

~~(a) there is initial obstruction from building owner, building management, home owner, End User, property owner or relevant authorities to OpenNet installation or installation schedule, but within two (2) Business Days from the initial visit, the Requesting Licensee obtains a firm commitment from the building owner, building management, home owner, End User, property owner or relevant authorities (as applicable) and submits a written confirmation to OpenNet (in the form of Annex 10B) that OpenNet would be allowed access on a definite date acceptable to OpenNet and that the Requesting Licensee shall pay the Installation and Onsite Charges for that visit and all subsequent visits by OpenNet~~

~~(b) the Transmission Tie Cable (installed pursuant to Co-location Service in Schedule 12) for connection to the CO to NBAP DP Connection is not operational at the point in time of OpenNet's provisioning of the CO to NBAP DP Connection, but OpenNet has, at the time of the Request, already scheduled for such Transmission Tie Cable to be operational by a definite date;~~

~~(c) OpenNet needs to increase capacity in order to provide the CO to NBAP DP Connection, but OpenNet has, at the time of the Request, already scheduled for capacity to be increased by a definite date; or~~

Upon review of OpenNet's proposed modifications relating to the qualified acceptance of a Request, IDA is of the view that a qualified acceptance process may be cumbersome for OpenNet to administer and burdensome to the Requesting Licensee to comply with. It will be more straightforward for OpenNet to reject the Request and the Requesting Licensee to submit a new application when the underlying conditions in clauses 5.4(c) and 5.4(d), both of which are not a result of OpenNet's fault, are addressed by the Requesting Licensee.

Accordingly, IDA directs OpenNet to delete the former clause 5.4 in its entirety.

CLAUSE 5.5 – DIRECTED AMENDMENTS

5.5 Where the NBAP DP location is initially deemed to be inaccessible, ~~but~~ OpenNet and the Requesting Licensee ~~have shall agreed to~~ conduct a joint site survey on a ~~definite mutually agreed~~ date to select an alternative NBAP DP location. For the avoidance of doubt, the Requesting Licensee will be required to pay Onsite Charges for this joint site survey and all subsequent joint site surveys.

Arising from the removal of the “qualified acceptance” process, IDA deems it appropriate to replace the “definite date” for OpenNet and the Requesting Licensee to conduct a joint site survey to select an alternative location for the CO to NBAP DP Connection, in the event that the initial NBAP DP location is determined to be inaccessible, with a “mutually agreed date”.

Accordingly, IDA directs OpenNet to amend this clause 5.5 in the manner specified above.

CLAUSE 5.6 – DIRECTED AMENDMENTS

5.6 Without prejudice to clause 5.34, the Requesting Licensee shall pay OpenNet the applicable Installation Charge specified in Schedule 15 (Charges) for provisioning the CO to NBAP DP Connection.

IDA directs OpenNet to amend this clause 5.6 to make a consequential change with respect to a paragraph reference in the manner specified above.

CLAUSE 5.7 - APPROVED

5.7 In addition to the Installation Charge, the Requesting Licensee shall be liable to pay a one-time charge for installation of the OpenNet Network from the serving Central Office or Building MDF Room to the NBAP DP which will include ducting and/or trenching to reach the NBAP DP.

CLAUSE 5.8 – DIRECTED AMENDMENTS

5.8 Where OpenNet ~~(in its sole discretion)~~ considers it reasonably necessary ~~decides that it is necessary~~ to conduct site visit(s) to assess the CO to NBAP DP Connection Request from the Requesting Licensee, OpenNet shall provide reasons for the site visit(s), and the Requesting Licensee shall be liable to pay all applicable Onsite Charges for such site visit(s).

It should not be OpenNet's sole discretion to decide whether a site visit is necessary. The decision to conduct a site visit must be based on reasonable grounds, and such reasons should be provided to the Requesting Licensee, who is the entity ultimately paying for such site visit(s).

Accordingly, IDA directs OpenNet amend this clause 5.8 in the manner specified above.

5.9 Where OpenNet rejects any Request for the CO to NBAP DP Connection, OpenNet shall provide reasons explaining the basis for rejection.

CLAUSE 5.10 - APPROVED

5.10 Where OpenNet informs the Requesting Licensee that the Request is accepted, OpenNet will inform the Requesting Licensee of the one-time charge payable for the installation of the OpenNet Network from the designated Central Office or Building MDF Room to the NBAP DP (which will include ducting / trenching to reach the NBAP DP) and the service activation period for the CO to NBAP DP Connection. OpenNet shall provide a reasonable breakdown of the charge components for this one-time charge.

CLAUSE 5.11 - APPROVED

5.11 The Requesting Licensee must provide its acceptance of the service activation period and agreement to pay the one-time installation charge to OpenNet within ten (10) Business Days, failing which, the Request shall be deemed cancelled and the Requesting Licensee shall be liable for Cancellation Charges in accordance with Schedule 15 (Charges).

CLAUSE 5.12 - APPROVED

5.12 Where the Requesting Licensee provides its acceptance of the service activation period and agreement to pay the one-time installation charge, the service activation period shall be deemed to commence on the next Business Day from the date the acceptance is received by OpenNet.

6. DELIVERY

CLAUSE 6.1 - APPROVED

- 6.1 OpenNet shall provide the CO to NBAP DP Connection by the end of the service activation period.
- 6.2 Unless otherwise stated, OpenNet shall retain the responsibility for working at OpenNet's FDF at the Central Office and NBAP DP, including Patching Service at OpenNet's FDF at the Central Office and NBAP DP in accordance with Schedule 13 on Patching Services. The Requesting Licensee shall bear the Charges for such work carried out by OpenNet.
- 6.3 OpenNet will provide the necessary Patching Service at OpenNet's FDF at the NBAP DP using Patch Cable of not exceeding ten (10) metres in length. The Requesting Licensee shall provide its own Patch Cable if it requires a longer Patch Cable. For the avoidance of doubt, where the Requesting Licensee provides its own Patch Cable, OpenNet will not offer and the Requesting Licensee shall not request for any rebate or discount over the Patching Service or the CO to NBAP DP Connection.
- 6.4 OpenNet will use optical fibre cable based on the ITU-T G.652D standard for outdoor installations and the ITU-T G.657A standard for in-building installations (where applicable) to deliver the CO to NBAP DP Connection.

CLAUSE 6.5 - APPROVED

- 6.5 OpenNet will test the optical fibre cable from OpenNet's FDF at its designated Central Office or the Requesting Licensee's FDF at the Central Office designated by OpenNet to OpenNet's FDF at the NBAP DP to ensure that the CO to NBAP DP Connection falls within the specified optical performance. Testing will be conducted at wavelengths of 1310nm, 1490nm and 1550nm.
- 6.6 OpenNet shall ensure that the optical power loss does not exceed -0.4dB per km and -0.5dB per connector.
- 6.7 OpenNet shall promptly notify the Requesting Licensee upon the completion of provisioning the CO to NBAP DP Connection.

CLAUSE 6.8 - APPROVED

- 6.8 Subject to clause 6.9, in the event OpenNet fails to meet the applicable service activation period for a Request, OpenNet shall compensate the Requesting Licensee an amount equal to the number of days of delay multiplied by the weekly recurring charge for the CO to NBAP DP Connection, subject to a

maximum of 30 times the weekly recurring charge for the CO to NBAP DP Connection (**Weekly Recurring Charge**), where:

Weekly Recurring Charge = Monthly recurring charge x 7 / 30

CLAUSE 6.9 – DIRECTED AMENDMENTS

6.9 ~~Except for Requests with service activation periods which have been extended pursuant to clause 5.4,~~ OpenNet shall not be required to compensate the Requesting Licensee under any of the following circumstances:

- (a) Delay in the granting of permission from or permission is not granted to install the required Network to the NBAP DP;
- (b) The Requesting Licensee requests the deferment of the service activation date; or
- (c) The designated Building MDF Room serving the NBAP DP location which was initially under network coverage is demolished and/or reconstructed.

For the avoidance of doubt, where the service activation date has been revised pursuant to any of the circumstances contemplated in this clause 6.9 or elsewhere in the ICO Agreement (unless otherwise stated), OpenNet shall nevertheless be required to compensate the Requesting Licensee if it fails to meet the revised implementation timeline.

As explained in IDA's 3 July 2009 Directed Modifications, IDA expects OpenNet to keep to the revised request service activation date for all the scenarios listed in clause 6.9 above, failing which the relevant Service Level Guarantees will apply. IDA also considers it fair and reasonable that OpenNet shall be required to compensate the Requesting Licensee the relevant Service Level Guarantees for failure to meet the revised service activation date, if OpenNet agrees to a revised service activation date under the ICO Agreement, unless otherwise stated. IDA notes that there is no extension of service activation date under clause 5.4.

Accordingly, IDA directs OpenNet to amend this clause 6.9 in the manner specified above.

7. RESPONSIBILITY AT OPENNET FDF

- 7.1 The Requesting Licensee shall not, and shall ensure that its employees, agents and contractors do not, at any time access OpenNet’s FDF at the Central Office and NBAP DP.
- 7.2 Where the Requesting Licensee wishes to change the existing patching connection at OpenNet’s FDF at the Central Office, Building MDF Room or NBAP DP, the Requesting Licensee shall submit an application for termination of the existing Patching Service and order for a new Patching Service at the Central Office, Building MDF Room or NBAP DP in accordance with Schedule 13 (Patching Service).

8. DEACTIVATION

- 8.1 Subject to the minimum contract term, the Requesting Licensee may terminate the CO to NBAP DP Connection by giving OpenNet not less than one (1) month prior written notice.

CLAUSE 8.2 - APPROVED

- 8.2 If the CO to NBAP DP Connection is terminated by the Requesting Licensee pursuant to clause 8.1 before the expiry date of the minimum contract term, the Requesting Licensee must pay OpenNet one hundred percent (100%) of the Monthly Recurring Charge for the remainder of the minimum contract term.
- 8.3 Where any Patching Service is no longer required as a result of the termination of the CO to NBAP DP Connection, OpenNet shall remove the Patching Service at all the relevant access points and the Requesting Licensee shall be liable for the termination charges in accordance with Schedule 15 (Charges). Notwithstanding the above, the Requesting Licensee shall not be liable to pay any Charges for the removal of Patching Service related to or in connection with the termination of the CO to NBAP DP Connection, if such termination is the result of OpenNet’s fault.

9. STANDARD TERMS AND CONDITIONS

- 9.1 OpenNet shall at its sole discretion determine its network deployment, including but not limited to the access points, fibre cable routing and location of the Central Office from which the CO to NBAP DP Connection is provided.

CLAUSE 9.2 - DIRECTED AMENDMENTS

- 9.2 OpenNet shall be responsible for the maintenance of the CO to NBAP DP Connection, ~~excluding all Patching Services installed under this Schedule. The terms and conditions of Patching Services provided are set out in Schedule 13 (Patching Service). For the avoidance of doubt, if there is a fault at the Patch Cable, OpenNet will not charge the Requesting Licensee an additional Patching Charge if OpenNet, (or its contractors and/or suppliers) was solely and directly responsible for the fault at the Patch Cable.~~

Under clause 11.5, OpenNet is responsible for replacing a faulty patch cable (OpenNet is entitled to impose a Patching Charge on the Requesting Licensee if the Requesting Licensee is responsible for the fault). In this regard, to avoid confusion, clause 9.2 should not exclude Patching Services from the maintenance of the CO to NBAP DP Connection. In addition, it is irrelevant to mention that the terms and conditions of Patching Services provided shall be pursuant to Schedule 13 (Patching Service).

Accordingly, IDA directs OpenNet to amend this clause 9.2 in the manner specified above.

- 9.3 Except to the extent strictly necessary to accurately describe the service to actual or potential Customers, the Requesting Licensee shall not use OpenNet's name, any of OpenNet's trademarks or the fact that any service is supplied using OpenNet's Network in promoting the Requesting Licensee's service.
- 9.4 The Parties shall in good faith co-operate with each other and take reasonable measures to ensure that there is no interference with or deterioration to OpenNet's existing services or those of a Third Party as a result of the Requesting Licensee's use of the CO to NBAP DP Connection.

CLAUSE 9.5 - APPROVED

- 9.5 If it is necessary to carry out any scheduled service interruption, including but not limited to planned repair, or replacement or upgrade to any equipment or facility forming part of the CO to NBAP DP Connection, OpenNet shall provide the Requesting Licensee with at least one (1) month's written notice in advance of such interruptions, repairs or upgrades, and shall inform Requesting Licensees of the period of service interruption. OpenNet shall take reasonable measures to minimise any service disruption to the Requesting Licensee.

CLAUSE 9.6 – DIRECTED AMENDMENTS

- 9.6 If the scheduled service interruption affects CO to NBAP DP Connections, OpenNet will ~~endeavour to~~ carry out the scheduled service interruption between 1am and 6am, unless it is not feasible for OpenNet to do so.

IDA refers to IDA's 20 August 2009 Decision varying IDA's 3 July 2009 Directed Modifications to allow OpenNet to carry out scheduled service maintenance outside of the 1:00am and 6:00am timeframe where it is unavoidable for OpenNet to do so within the specified timeframe. OpenNet's proposed modifications do not provide assurance to Requesting Licensees that OpenNet will carry out all planned service maintenance within the specified timeframe unless it is unavoidable for OpenNet to do so.

Accordingly, IDA directs OpenNet to amend this clause 9.6 in the manner specified above.

CLAUSE 9.7 - APPROVED

- 9.7 Subject to Requesting Licensee acquiring redundancy service, OpenNet shall, where technically feasible, provide assistance to the Requesting Licensee to divert its CO to NBAP DP Connection to the redundancy service before commencing the scheduled service interruption.
- 9.8 Where there are available resources, OpenNet will, where possible, first divert critical links to alternative routings before commencing the scheduled service interruption.

CLAUSE 9.9 – DIRECTED AMENDMENTS

- 9.9 Subject to clause 9.6, OpenNet shall not be liable for any loss caused by such scheduled service interruption, except for the Service Level Guarantee rebate that arises from OpenNet carrying out the scheduled service interruption outside of the

stipulated period and the Requesting Licensee has reported the fault in accordance to clause 11.

IDA does not agree with OpenNet's comment that clause 12.3 fully addresses IDA's 3 July 2009 Directed Modifications to clause 9.9 requiring OpenNet to propose a suitable remedy where a scheduled service interruption is carried out outside of the stipulated period.

Accordingly, IDA requires OpenNet to amend this clause 9.9 in the manner specified above.

9.10 The Requesting Licensee shall be responsible to the Requesting Licensee's Customers for all aspects of the Requesting Licensee's services including but not limited to the operations and maintenance of the Requesting Licensee's service.

CLAUSE 9.11 - DIRECTED AMENDMENTS

9.11 The Requesting Licensee must procure and maintain at its own cost:

- (a) any equipment or software needed to implement, receive or use the CO to NBAP DP Connection;
- (b) co-location at the designated Central Office and any space near the NBAP DP for its equipment; and

IDA notes that there is a missing 'and' at the end of clause 9.11(b) and accordingly directs OpenNet to amend this clause 9.11(b) in the manner specified above.

- (c) access to the NBAP DP location.

9.12 Nothing in this Schedule vests in the Requesting Licensee any right, title or proprietary interest in the optical fibre cable, equipment or facilities forming part of the CO to NBAP DP Connection.

10. ACCESS AND APPROVALS REQUIRED

10.1 The Parties shall comply with clause 15.5 of the main body of this ICO Agreement in relation to the obtaining of all licences, permits, consents, waivers, authorisations and intellectual property or other rights required for the provision of the CO to NBAP DP Connection.

11. FAULT REPORTING AND CLEARING

- 11.1 Each Party must have or establish a Fault Reporting and Control Centre (**FCC**) to act as a single point of contact for the reporting, management and clearing of faults. The FCC must be available twenty-four (24) hours a day, seven (7) days a week.
- 11.2 It is the Requesting Licensee's responsibility to determine the source of the fault at its own cost and to ensure that the fault does not lie within its own network before reporting the fault to OpenNet.

CLAUSE 11.3 - APPROVED

- 11.3 Upon receipt of a fault report from the Requesting Licensee under clause 11.2, OpenNet shall investigate the cause of the fault experienced by the Requesting Licensee in a diligent and responsible manner as would be expected of a competent service provider. OpenNet shall update the Requesting Licensee as and when there is a change in status of the fault investigation/rectification work.

CLAUSE 11.4 – DIRECTED AMENDMENTS

- 11.4 If, following investigation, OpenNet determines that the fault is at the Transmission Tie Cable at the Central Office, OpenNet will patch the CO to NBAP DP Connection to another available Transmission Tie Cable Port and charge the Requesting Licensee a Patching Charge in accordance with Schedule 15 (Charges). ~~OpenNet will not charge the Requesting Licensee a Patching Charge if OpenNet, (or its contractors and/or suppliers) the Requesting Licensee was solely and directly~~ responsible for the fault at the Transmission Tie Cable at the Central Office.

As the responsibility for the Transmission Tie Cable at the Central Office lies with OpenNet, OpenNet should only charge the Requesting Licensee a Patching Charge if the fault at the Transmission Tie Cable at the Central Office is caused by the Requesting Licensee.

Accordingly, IDA directs OpenNet to amend this clause 11.4 in the manner specified above.

CLAUSE 11.5 – DIRECTED AMENDMENTS

11.5 If, following investigation, OpenNet determines that the fault is at the Patch Cable at the NBAP DP, OpenNet will replace with another Patch Cable and charge the Requesting Licensee a Patching Charge(s) in accordance with Schedule 15 (Charges). OpenNet will ~~not~~ charge the Requesting Licensee a Patching Charge if ~~OpenNet, (or its contractors and/or suppliers)~~ the Requesting Licensee was ~~solely and directly~~ responsible for the fault at the Patch Cable at the NBAP DP.

As the responsibility for the Patch Cable at the Building MDF Room lies with OpenNet, OpenNet should only charge the Requesting Licensee a Patching Charge if the fault at the Patch Cable at the Building MDF Room is caused by the Requesting Licensee.

Accordingly, IDA directs OpenNet to amend this clause 11.5 in the manner specified above.

11.6 If, following investigation, OpenNet determines that no fault is found or the fault is not with the OpenNet Network or equipment, then OpenNet shall charge the Requesting Licensee a No Fault Found Charge for the fault report in accordance with Schedule 15 (Charges).

11.7 If OpenNet is unable to identify a fault, OpenNet will call for a fault identification coordination meeting between OpenNet and the Requesting Licensee to identify the fault. The Requesting Licensee shall provide all reasonable assistance requested by OpenNet. Each Party is to bear its own cost for attending such fault identification coordination meeting as well as any testing or trouble-shooting activities required as a result of such meeting.

11.8 The CO to NBAP DP Connection is deemed to be restored when OpenNet has tested and confirmed to the Requesting Licensee that the CO to NBAP DP Connection has been restored.

11.9 Where the Requesting Licensee has lodged with OpenNet a fault report and OpenNet is in the process of investigating the fault or where the Requesting Licensee has not lodged a fault report but suspects that there is a fault with the CO to NBAP DP Connection, the Requesting Licensee may request OpenNet for a joint investigation. The Requesting Licensee shall propose the date, time and venue for the joint investigation. Subject to OpenNet's resource availability and agreement to the date, time and venue, OpenNet shall attend the joint investigation and charge the Requesting Licensee the Joint Investigation Charge according to Schedule 15 (Charges).

CLAUSE 11.10 – DIRECTED AMENDMENTS

11.10 The Requesting Licensee acknowledges that OpenNet may temporarily disconnect the Requesting Licensee's CO to NBAP DP Connection to perform reasonable fault analysis and line testing on the CO to NBAP DP Connection. OpenNet shall conduct such disconnection only as it reasonably considers necessary. OpenNet shall notify the Requesting Licensee at least thirty (30) minutes before the temporary disconnection and provide its reasons for the temporary disconnection.

IDA refers to IDA's 3 July 2009 Directed Modifications requiring OpenNet to modify clause 11.10 such that any temporary disconnection by OpenNet under clause 11.10 to perform fault analysis and line testing on the CO to NBAP DP Connection must in its reasonable discretion, be considered necessary.

Accordingly, IDA directs OpenNet to amend this clause 11.10 in the manner specified above.

11.11 Each Party shall maintain and store its own records of faults and repairs.

Mean Time To Recovery

11.12 OpenNet shall restore any fault within a standard Mean Time To Recovery (MTTR) of eight (8) hours.

CLAUSE 11.13 - DIRECTED AMENDMENTS

11.13 Subject to clause 2.6, the MTTR shall be the average time OpenNet took to restore service for all fault incidents for all CO to NBAP DP Connections acquired by the Requesting Licensee under this Schedule during a month, measured from the time each fault is reported by the Requesting Licensee to the time OpenNet confirms that the fault is restored, excluding fault incidents where OpenNet is prevented or restricted from restoring the service owing to matters that are not within OpenNet's control. For the avoidance of doubt, the MTTR is calculated as follows:

$$\frac{\sum X}{Y}$$

Where X = Time taken to restore fault incidents for each CO to NBAP DP Connection during a month as described above

Y = Total number of affected CO to NBAP DP Connections in the same month

For clarity, IDA directs OpenNet to amend this clause 11.13 to specify the formula for the computation of the MTTR in the manner specified above.

11.14 In the event OpenNet fails to meet the standard MTTR for a particular month, OpenNet shall compensate the Requesting Licensee an MTTR Rebate equal to the difference between the MTTR experienced by the Requesting Licensee and the standard MTTR in terms of number of days, multiplied by the number of services affected, multiplied by the Weekly Recurring Charge for the CO to NBAP DP Connection, subject to a maximum of 30 times the Weekly Recurring Charge for the CO to NBAP DP Connection.

12. SERVICE LEVEL AVAILABILITY

12.1 OpenNet shall offer a service level availability of 99.99% per month for the CO to NBAP DP Connection. OpenNet shall offer to rebate the Requesting Licensee ten percent (10%) of the Monthly Recurring Charge if OpenNet fails to meet the service level availability for that month.

12.2 Service level availability for the CO to NBAP DP Connection is calculated as follows:

$$\frac{(A - B)}{(A)} \times 100\%$$

Where A = 24 hours x number of days for the month (in hours); and

B = total network outage time for the CO to NBAP DP Connection in the same month (in hours)

12.3 Subject to clause 2.6, the total network outage time is the sum of all minutes for which the CO to NBAP DP Connection is unavailable measured from the time each fault is reported by the Requesting Licensee to the time OpenNet confirms that the fault is restored, excluding fault incidents where OpenNet is prevented or restricted from restoring the service owing to matters that are not within OpenNet's control.

13. PROTECTION AND SAFETY

13.1 Each Party is responsible for the safe operation of its Network and in particular the safe operation of any equipment within its Network on its side of the connection at the FDF in Central Office and at the NBAP DP.

13.2 Each Party shall, so far as reasonably practicable, take all necessary steps to ensure that the licence of the CO to NBAP DP Connection, its operations and its implementation of this Schedule:

- (a) do not endanger the safety or health of any person, including the employees and contractors of the Parties; and
- (b) do not damage, interfere with or cause any deterioration in the operation of the OpenNet Network.

14. TERM OF LICENCE

14.1 The minimum contract term for the CO to NBAP DP Connection shall be twelve (12) months starting from the service activation date of the CO to NBAP DP Connection.

15. SUSPENSION

CLAUSE 15.1 - APPROVED

15.1 OpenNet may suspend the Requesting Licensee's licence to the CO to NBAP DP Connection at any time until further notice to the Requesting Licensee if the CO to NBAP DP Connection licence causes or is likely to cause physical or technical harm to any telecommunications network, system or services (whether of OpenNet or any other person) including but not limited to causing damage, interfering with or causing deterioration in the operation of the OpenNet Network. If the suspension is the result of the Requesting Licensee's fault, the Requesting Licensee shall continue to pay the Monthly Recurring Charge during the period of suspension.

15.2 Without limiting the exclusions or limitations of liability in this ICO Agreement, OpenNet shall not be liable to the Requesting Licensee for any Loss resulting from, or in connection with, suspension of the CO to NBAP DP Connection licence under this clause 15.

16. TERMINATION OF LICENCE

16.1 The Requesting Licensee shall keep OpenNet informed on the Requesting Licensee's utilisation of each CO to NBAP DP Connection six (6) months from the service activation date and when there are changes to the utilisation.

CLAUSE 16.2 - DIRECTED AMENDMENTS

16.2 The Requesting Licensee must use or activate a service to a Retail Service Provider using the CO to NBAP DP Connection within six (6) months from the service activation date of the CO to NBAP DP Connection. If the Requesting Licensee fails to do so, OpenNet will deactivate the CO to NBAP DP Connection upon giving the Requesting Licensee ten (10) Business Days prior notice, and the Requesting Licensee did not dispute such written notice given by OpenNet. The Requesting Licensee must pay OpenNet the Monthly Recurring Charges for the remainder of the minimum contract term.

IDA notes that clause 16.2 does not fully reflect the requirements in Section 2.8 of NetCo Interconnection Code 2009 and accordingly directs OpenNet to amend this clause 16.2 in the manner specified above.

CLAUSE 16.3 - APPROVED

16.3 OpenNet may immediately terminate a licence of the CO to NBAP DP Connection under this Schedule if:

- (a) the Requesting Licensee is no longer an FBO;
- (b) the OpenNet ICO is revoked by the Authority under clause 12.8 of the ICO Agreement;
- (c) the Authority removes the requirement for OpenNet to supply the CO to NBAP DP Connection under the OpenNet ICO or exempts OpenNet from supplying the CO to NBAP DP Connection under the ICO Agreement, provided that the date of termination shall not be earlier than the effective date of the Authority's decision;
- (d) in OpenNet's reasonable opinion, the Requesting Licensee is using the CO to NBAP DP Connection in contravention of an applicable law, licence, code, regulation or direction and OpenNet has the necessary confirmation from the relevant Government Agencies that the Requesting

Licensee is in contravention of the applicable law, licence, code, regulation or direction;

- (e) in OpenNet's reasonable opinion, the Requesting Licensee is using the CO to NBAP DP Connection in a manner which places or allows a Third Party to act in contravention of an applicable law, licence, code, regulation or direction and OpenNet has the necessary confirmation from the relevant Government Agencies that the Third Party is in contravention of the applicable law, licence, code, regulation or direction;
- (f) the licence in respect of Co-Location Space to which the CO to NBAP DP Connection is connected has been terminated or has expired;
- (g) the CO to NBAP DP Connection has become unsafe for its purpose; or
- (h) OpenNet's right to own, maintain or operate the CO to NBAP DP Connection has been revoked or terminated or has expired.

CLAUSE 16.4 - APPROVED

16.4 Either Party (**Terminating Party**) may terminate the CO to NBAP DP Connection:

- (a) if the other Party is in breach of this Schedule other than failure to pay any sum for which the Requesting Licensee has been invoiced, and such breach remains un-remedied for a period of sixty (60) Calendar Days after receiving notice from the Terminating Party;

CLAUSE 16.4(b) - APPROVED

- (b) if the Requesting Licensee's CO to NBAP DP Connection licence has been suspended pursuant to clause 15.1, and the cause of such suspension has not been remedied or rectified for a period of sixty (60) Calendar Days from the date of the suspension; or
- (c) if the Requesting Licensee is in breach of this Schedule by its failure to pay any sum for which the Requesting Licensee has been invoiced, and such breach remains un-remedied for a period of fourteen (14) Calendar Days after receiving notice from the Terminating Party. For the avoidance of doubt, this sub-clause shall not apply pending the resolution of any

Billing Dispute in accordance with the provisions of Schedule 16 (Billing).

CLAUSE 16.5 – DIRECTED AMENDMENTS

16.5 Upon ~~expiry or~~ termination of the licence of the CO to NBAP DP Connection:

- (a) the Requesting Licensee must immediately discontinue use of the CO to NBAP DP Connection;

IDA considers that there is merit to make clear that unless the Requesting Licensee requests to terminate the CO to NBAP DP Connection service, the licence of CO to NBAP DP Connection will not expire upon the expiry of the minimum contract term.

Accordingly, IDA directs OpenNet to amend this clause 16.5 in the manner specified above.

CLAUSE 16.5(b) - DIRECTED AMENDMENTS

- (b) the Requesting Licensee must ~~promptly and~~ without undue delay disconnect all equipment connected to the CO to NBAP DP Connection; and

IDA recognises that OpenNet needs to be protected from recalcitrant licensees who delay removal of equipment after their licences have been terminated. Yet this must be balanced with the Requesting Licensees' need for sufficient time to remove equipment. On balance, IDA is of the view that the requirement "without undue delay" is reasonable and already sufficient to protect OpenNet's interests.

Accordingly, IDA directs OpenNet to amend clause 16.5(b) in the manner specified above.

- (c) OpenNet shall be responsible for removing all necessary Patching Services at the Requesting Licensee's cost in accordance with Schedule 15 (Charges). Notwithstanding the above, the Requesting Licensee will not be liable for OpenNet's costs of removing all necessary Patching Services if the termination is the result of OpenNet's fault.

CLAUSE 16.6 – APPROVED

16.6 If the licence of the CO to NBAP DP Connection is terminated as a result of the Requesting Licensee's fault, the Requesting Licensee shall be liable to OpenNet for the Monthly Recurring Charges for the remainder of the minimum contract term.

CLAUSE 16.7 – APPROVED

16.7 If the Requesting Licensee fails to disconnect its equipment from the CO to NBAP DP Connection under clause 16.5(b), OpenNet may at its sole discretion remove and/or dispose of the Requesting Licensee's equipment. The Requesting Licensee shall pay to OpenNet all reasonable costs associated with the work undertaken by OpenNet including the cost of disposing the Requesting Licensee's equipment. The Requesting Licensee shall have no claim whatsoever against OpenNet in connection with the removal and/or disposal of the Requesting Licensee's equipment from the CO to NBAP DP Connection.

17. REDUNDANCY SERVICE

CLAUSE 17.1 – DIRECTED AMENDMENTS

17.1 The Requesting Licensee may acquire one separate fibre strand from OpenNet's FDF at the Central Office to OpenNet's FDF at the NBAP DP (**Redundancy Service**) at the same prices, terms and conditions as the CO to NBAP DP Connection through a request in the form of Annex 10A, unless stipulated otherwise in this clause 17.

IDA deems that in addition to amending Annex 10A to provide an option for Requesting Licensee to order the Redundancy Service for the CO to NBAP DP Connection, it is also necessary for OpenNet to indicate in the main Schedule 10 that the Redundancy Service can be requested through Annex 10A.

Accordingly, IDA directs OpenNet to amend this clause 17.1 in the manner specified above.

17.2 OpenNet shall provide the Redundancy Service via the same duct and along the same path as the existing CO to NBAP DP Connection, without Duct Diversity and without Path Diversity. OpenNet may provide the Redundancy Service using a separate fibre strand from the same fibre cable that carries the existing CO to NBAP DP Connection.

CLAUSE 17.3 – DIRECTED AMENDMENTS

17.3 The Requesting Licensee is eligible to acquire a Redundancy Service for the CO to NBAP DP Connection provided that the Requesting Licensee has acquired or is acquiring an equivalent CO to NBAP DP Connection between the same Central Office and NBAP DP. The Requesting Licensee may request OpenNet to reject the Request for the CO to NBAP DP Connection in the event that OpenNet is unable to provide the Redundancy Service, but such Requests for the CO to NBAP DP Connection and the Redundancy Service must be submitted together to OpenNet.

OpenNet should provide Requesting Licensee an option for OpenNet to reject the Request for CO to NBAP DP Connection if OpenNet is unable to provide the Redundancy Service as certain End-Users have strict redundancy service requirements and may not wish to proceed with procuring the CO to NBAP DP Connection without the associated Redundancy Service.

Accordingly IDA directs OpenNet to amend this clause 17.3 and Annex 10A in the manner specified.

17.4 The Requesting Licensee shall be responsible, at its own cost and equipment, for the implementation of diversity or redundancy for its services using the Redundancy Service provided by OpenNet.

CLAUSE 17.5 - DIRECTED AMENDMENTS

17.5 OpenNet shall make the Redundancy Service available to the Requesting Licensee, except where OpenNet is unable to build the requisite infrastructure (other than fibre) to provide the Redundancy Service or due to any of the reasons stated in clause 5.4.

Upon further review, IDA considers it fair and reasonable that for consistency, OpenNet should be allowed to reject a request for the Redundancy Service on the same grounds as that for rejecting a request for a CO to NBAP DP Connection service as set out in clause 5.4.

Accordingly, IDA directs OpenNet to amend this clause 17.5 in the manner specified above.

ANNEX 10A: REQUEST FORM FOR CO TO NBAP DP CONNECTION

Request for CO to NBAP DP Connection

Requesting Licensee	Date of Application: _____	Application Reference Number: \
	End-User Name: _____	<u>DIRECTED AMENDMENTS</u> Assigned Transmission Tie Cable Port (Where applicable):
	<u>IDA refers to IDA's annotations to former clause 4.1(d) and directs OpenNet to amend Annex 10A in the manner specified above.</u>	_____
	<u>DIRECTED AMENDMENTS</u>	

NBAP DP address or description of address: <u>GPS co-ordinates and height</u> (Please attach map): <u>IDA refers to the information which the Requesting Licensee is required to furnish pursuant to clause 4.1(c) and accordingly directs OpenNet to amend this Annex 10A in the manner specified above.</u>	
Any other info: _____ <u>APPROVED</u> <input type="checkbox"/> Redundancy Service is required <u>DIRECTED AMENDMENTS</u> <input type="checkbox"/> Request for CO to NBAP DP Connection to be rejected if Redundancy Service is not available <u>IDA refers to IDA's annotations to clause 17.3 and directs OpenNet to amend Annex 10A in the manner specified above.</u>	

For and on Behalf of Requesting Licensee

Requesting Licensee	Sign: _____	Company Stamp: _____
	Name: _____	Company Name: _____
	Designation: _____	_____
	Contact Number, Fax and email address _____	

Part 1: Date: _____

OpenNet	<u>DIRECTED AMENDMENTS</u> <input type="checkbox"/> Application accepted in principle and will proceed with detailed study: <u>IDA has directed OpenNet to remove the process relating to the in-principle acceptance of a Request submitted by the Requesting Licensee from clause 5.</u> <u>Accordingly, IDA directs OpenNet to amend Annex 10A in the manner specified above.</u>	
	Circuit Identification Number: _____	
	<input type="checkbox"/> Application rejected Reason for rejection: _____	
	OpenNet Name / Signature: _____	Queue Status: _____

Part 2: Date: _____

OpenNet	<input type="checkbox"/> Circuit Provision: Provision Date: _____ Digging and Trenching Work Charges: _____ (Breakdown of charges to be attached)	
	<input type="checkbox"/> Application rejected Reason for rejection: _____	
	OpenNet Name / Signature: _____	

Requesting Licensee Acceptance:

Requesting Licensee	We agree that we are liable for the digging and trenching work charges and agree with the service provisioning date stated (both) above.	
	Sign: _____	Company Stamp: _____
	Name: _____	Company Name: _____
	Designation: _____	_____
	Contact Number, Fax and email address _____	

ANNEX 10B: QUALIFIED ACCEPTANCE REQUEST FORM FOR CO TO NBAP DP CONNECTION

IDA refers to IDA's annotations to former clause 5.4 and directs OpenNet to delete Annex 10B in its entirety.

Request for CO to NBAP DP Connection

Requesting Licensee

Date of Application: _____ Application Reference Number: \\\nRequested Date of Activation: _____ QA _____\nResidential End User Name: _____ Residential End User Telephone Number: _____\nResidential End User Address: _____\nAny other info: _____

Requesting Licensee

For and on Behalf of Requesting Licensee

Sign: _____ Company Stamp: _____\nName: _____ Company Name: _____\nDesignation: _____\nContact Number, Fax and email address: _____

OpenNet

Part 1: Date: _____\n Application accepted in principle:\nCircuit Identification Number: _____\nTentative Provision Date: _____ Provide internal cabling to First Termination Point (Y/N)\n Application rejected\nReason for rejection: _____\nOpenNet Name / Signature: _____ Queue Status: _____

OpenNet

Part 2: Date: _____\n Circuit Provision:\nRevised Provision Date (where applicable): _____\nReason: _____ Insufficient Capacity (Y/N)\nAny other reason: _____\n Application rejected\nReason for rejection: _____\nOpenNet Name / Signature: _____