



Telecommunications
Standards Advisory
Committee (TSAC)

Technical Specification

Provisioning of eUICC
Subscription
Management

**Draft IMDA TS Provisioning of eUICC SM
Issue 1, xxx 2026**

Info-communications Media Development Authority
10 Pasir Panjang Road
#03-01 Mapletree Business City
Singapore 117438

© 2026 Info-communications Media Development Authority. All rights reserved.

This document may be downloaded from the IMDA website at <https://www.imda.gov.sg> and shall not be distributed without written permission from IMDA

Acknowledgement

The Info-communications Media Development Authority (IMDA) and the Telecommunications Standards Advisory Committee (TSAC) would like to acknowledge the following members of the TSAC Focus Area (FA) 6 and 7 Task Force (TF) for eUICC Subscription Management Technology (TSAC eUICC SMT TF) for their invaluable contributions to the preparation of this Requirement Document:

IMDA Provisioning of eUICC SM Issue 1, xxx 2026	Requirement Document for Provisioning eUICC Subscription Management
Focus Area 6 Chairperson	Dr Oh Ser Wah, CEO, Whizpace Pte. Ltd.
Focus Area 7 Chairperson	Mr Lin Yih, Director, Digital Applied Research & Technology
eUICC SMT Task Force Chairman(s)	Mr Manoj Kumar Rai; Marketing Director, Gemalto Pte. Ltd.
	Mr Ringo Fok; Solution Architect, Giesecke+Devrient Mobile Security Asia Pte. Ltd.
Editor	Mr Lee Kean Tee, Technical Leader, Gemalto Pte. Ltd.
	Mr Muhamad Pramana Baharsyah, Technical Leader, Gemalto Pte. Ltd.
Secretary	Mr Eddie Ng, Manager, Singapore Telecommunications Limited

List of TSAC FA 6 and 7 eUICC SMT TF Members (2018-2021)

S/N	Organisation	Name
1	Apple	Mr Song Qiaojian, Regulatory Manager
2	ATIS	Mr Yip Yew Seng, Honorary Secretary and Member of Executive Council
3	Digital Applied Research & Technology	Mr Lin Yih, Director
4	Giesecke+Devrient Mobile Security Asia Pte. Ltd.	Mr Chris Yeo, Head of Product Management
5	Government Technology Agency of Singapore	Mr Jack Toh, Executive Manager
6	IDEMIA Singapore Pte. Ltd.	Mr Dhiraj Pai, Digital Solution Sales Director
7	Info-communications Media Development Authority	Mr Ng How Yeu Philip, Assistant Director, Cyber Security Management
8	Info-communications Media Development Authority	Mr Joseph Tye, Executive Manager, Cyber Security Management
9	Info-communications Media Development Authority	Mr Lim Wei Li, Manager, Infocomm Resource and Technology
10	Land Transport Authority	Mr Ong Beng Kee, Senior Manager
11	M1 Limited	Mr Tan Tiong Heng, Deputy Director
12	M1 Limited	Mr Derrick Gan, Assistant General Manager
13	NCS Communications Engineering Pte. Ltd.	Mr Chang Siew Kuen, Associate Director, Solution Management
14	NCS Communications Engineering Pte. Ltd.	Mr Lim Sing Loong Eddie
15	NCS Communications Engineering Pte. Ltd.	Mr Hsu Hsueh Cheng Sagin
16	NCS Communications Engineering Pte. Ltd.	Mr Lim Joo Cheng

17	Republic Polytechnic	Mr Tony Tan, Senior Lecturer
18	Republic Polytechnic	Mr Rajendran, Lecturer
19	Republic Polytechnic	Mr Vincent Tey, Senior Lecturer
20	Samsung Asia Pte. Ltd.	Mr Andrew Khaw
21	Samsung Asia Pte. Ltd.	Mr Jeremy Lim, Product Manager
22	Singapore Telecommunications Limited	Mr Chia Kok Yeong, Senior Manager
23	Singapore Telecommunications Limited	Mr Lee Kok Ming, Manager
24	Singapore Telecommunications Limited	Mr Eddie Ng, Manager
25	Singapore Telecommunications Limited	Mr Javier Tan, Engineer
26	StarHub Ltd.	Mr Sudhir Menon, Senior Business Developing Director
27	StarHub Ltd.	Mr Jason Koh, Product Manager
28	StarHub Ltd.	Ms Khor Lay Khim, Senior Manager
29	StarHub Ltd.	Ms Julie Choi, IOT Product Manager
30	Simba Telecom Pte. Ltd.	Mr Sudhir K Tripathi, Chief Technology Officer

Telecommunications Standards Advisory Committee (TSAC)

The TSAC advises IMDA on the setting of ICT standards as well as on the development and recommendation of specifications, standards, information notes, guidelines and other forms of documentation for adoption and advancement of the standardisation effort of the Singapore ICT industry (hereafter termed “IMDA Standards”).

Telecommunications standards-setting in Singapore is achieved with the assistance of TSAC, where professional, trade and consumer interest in telecommunications standards is represented on the TSAC with representatives from network and service operators, equipment suppliers and manufacturers, academia and researchers, professional bodies and other government agencies.

List of TSAC Members (2024-2027)

TSAC Chairman:

Dr Chin Woon Hau

Director (Technology & Standards)

Info-communications Media Development Authority

TSAC Members:

Mr George Choo	President Association of Telecommunications Industry of Singapore
Mr Andy Phang	Assistant Director, Technology and Standards Info-communications Media Development Authority
Mr Marcus Tan Cheng Lin	Head of Cybersecurity Department Institute for Infocomm Research
Mr Denis Seek	CTO M1 Limited
Mr Ng Thian Khoon	Head, Broadcast Engineering/ Broadcast Engineering (Technology) Mediacorp Pte. Ltd.
Associate Professor Chau Yuen	Associate Professor, School of Electrical & Electronic Engineering Provost's Chair in Wireless Communications Nanyang Technological University
Professor Biplab Sikdar	Head of Department, Electrical and Computer Engineering, & Area Director (Communications & Networks) National University of Singapore
Mr Gao Peng	Head of Radio Planning Simba Telecom Pte. Ltd.
Professor Susanto Rahardja	Professor, Engineering Cluster Singapore Institute of Technology
Mr Lim Yu Leong	Vice President, Group Strategy, Engineering & Innovation Singapore Telecommunications Limited
Professor Tony Quek	Head of Information Systems and Technology Design Pillar; Cheng Tsang Man Chair Professor Singapore University of Technology and Design
Mr Heng Hwee Tong	Head of Engineering and Corporate IT SPTel Pte. Ltd.
Mr Eddie Teo Soo Kwok	Assistant Vice President, Radio Technology StarHub Ltd.

Content

Section	Title	Page
1	Scope	2
2	References	2
3	Definition and Abbreviations	3
4	eUICC SMT – M2M Servers	5
	4.1 General Requirements	5
	4.2 Technical Requirements	5
5	eUICC SMT – Consumer Servers	6
	5.1 General Requirements	6
	5.2 Technical Requirements	7

NOTICE

THE INFO-COMMUNICATIONS MEDIA DEVELOPMENT AUTHORITY (“IMDA”) MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND WITH REGARD TO THE MATERIAL PROVIDED HEREIN AND EXCLUDES ANY EXPRESS OR IMPLIED WARRANTIES OR CONDITIONS OF NON-INFRINGEMENT, MERCHANTABILITY, SATISFACTORY QUALITY AND FITNESS FOR A PARTICULAR PURPOSE. SUBJECT TO THE MAXIMUM EXTENT PERMITTED UNDER LAW, IMDA SHALL NOT BE RESPONSIBLE OR LIABLE TO YOU OR ANY THIRD PARTY FOR ANY ERRORS AND/OR OMISSIONS CONTAINED HEREIN OR FOR ANY LOSSES OR DAMAGES (INCLUDING ANY LOSS OF PROFITS, BUSINESS, GOODWILL OR REPUTATION, AND/OR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES) IN CONNECTION WITH THE USE OF THIS MATERIAL.

IMDA RESERVES THE RIGHT TO CHANGE, MODIFY OR ADD TO ANY PART OF THIS DOCUMENT. NOTHING HEREIN IS INTENDED TO CREATE OR IMPOSE ANY BINDING LEGAL OBLIGATIONS OR LIABILITY WHATSOEVER ON IMDA, WHETHER EXPRESSED OR IMPLIED, AND WHETHER CONTRACTUAL OR OTHERWISE. WITHOUT PREJUDICE TO THE FOREGOING, NOTHING IN THIS DOCUMENT SHALL BIND IMDA TO ADOPT ANY PARTICULAR COURSE OF ACTION. CONSEQUENTLY, NOTHING HEREIN SHALL BE CONSTRUED AS GRANTING ANY EXPECTATION, WHETHER PROCEDURAL OR SUBSTANTIVE IN NATURE, THAT IMDA WILL TAKE OR NOT TAKE ANY PARTICULAR COURSE OF ACTION IN THE FUTURE, ARISING FROM OR DUE TO ANYTHING IN THIS DOCUMENT OR IN THE EXERCISE OF ITS DISCRETION AS A PUBLIC AUTHORITY.

IMDA DRAWS ATTENTION TO THE POSSIBILITY THAT ANY PRACTICE OR IMPLEMENTATION OF THIS STANDARD/SPECIFICATION MAY INVOLVE THE USE OF INTELLECTUAL PROPERTY RIGHTS AND TAKES NO POSITION CONCERNING THE EXISTENCE, VALIDITY AND/OR APPLICABILITY OF ANY SUCH INTELLECTUAL PROPERTY RIGHTS, WHETHER ASSERTED BY TSAC MEMBERS OR ANY THIRD PARTY.

AS OF THE DATE OF ISSUANCE OF THIS STANDARD/SPECIFICATION, IMDA HAS NOT RECEIVED WRITTEN NOTICE OF ANY PATENT RIGHTS WHICH MAY BE RELEVANT IN RELATION TO THE IMPLEMENTATION OF THIS STANDARD/SPECIFICATION. HOWEVER, IMPLEMENTERS ARE CAUTIONED THAT THIS MAY NOT REPRESENT THE LATEST INFORMATION AND ARE THEREFORE STRONGLY URGED TO CHECK WITH THE RELEVANT DATABASE IN ITU, ISO, IEC OR THE RELEVANT STANDARDS DEVELOPMENT ORGANISATION FOR INFORMATION OF INTELLECTUAL PROPERTY RIGHTS. IMPLEMENTERS ARE ADVISED TO OBTAIN THEIR OWN PROFESSIONAL, TECHNICAL AND/OR LEGAL ADVICE AND CONDUCT ALL NECESSARY DUE DILIGENCE, INCLUDING BUT NOT LIMITED TO MAKING SUCH INVESTIGATIONS OR SEEKING CLARIFICATIONS AS MAY BE APPROPRIATE, IN REGARD TO ANY DECISION OR ACTION THAT THEY INTEND TO TAKE, OR PRIOR TO THE IMPLEMENTATION OF ANY STANDARD/SPECIFICATION AS MAY BE REQUIRED.

eUICC Subscription Management Technology (SMT) – Servers

1 Scope

This specification sets out the configuration requirements for implementing remote provisioning and subscription management of eUICC deployed in M2M and Consumer Devices. Section 4 of this document outlines the compliance requirements based on the GSMA M2M Architecture and Technical Specification (GSMA SGP.01 [1] and SGP.02 [2]); whilst Section 5 outlines the compliance requirements based on the GSMA Consumer RSP Architecture and Technical Specification (GSMA SGP.21 [5] and SGP.22 [6]).

2 References

2.1 For the requirements captured in this document, reference has been made to the following documents. Where versions are not indicated, implementation of this guide shall be based on current and approved versions of these standards published by the respective Standards Development Organisations.

- [1] GSMA SGP.01: Embedded SIM Remote Provisioning Architecture
- [2] GSMA SGP.02: Remote Provisioning Architecture for Embedded UICC Technical Specification
- [3] GSMA SGP.11: Remote Provisioning Architecture for Embedded UICC Test Specification
- [4] GSMA SGP.16: M2M Compliance Process
- [5] GSMA SGP.21: RSP Architecture
- [6] GSMA SGP.22: RSP Technical Specification
- [7] GSMA SGP.23: RSP Test Specification
- [8] GSMA SGP.24: RSP Compliance Process
- [9] GSMA FS.08: GSMA SAS Standard for Subscription Manager Roles
- [10] GSMA FS.09: GSMA SAS Methodology for Subscription Manager Roles
- [11] ISO 27001: ISO 27001: Information technology – Security techniques – Information security management systems – Requirements
- [12] RFC 2119: Key words for use in RFCs to Indicate Requirement Levels, S. Bradner
<https://www.ietf.org/rfc/rfc2119.txt>

2.2 Conventions

The use of "SHALL", "SHALL NOT", and "MAY" in this document infers the following (RFC 2119 [12]):

- a. SHALL means "REQUIRED", a Mandatory requirement;
- b. SHALL NOT means "MUST NOT"; and
- c. MAY means an Optional requirement.

3 Definitions and Abbreviations

For the purpose of this document, the following terms and definitions apply (taken mainly from GSMA SGP.02 [2] and SGP.22 [6]).

3.1 Definitions

Consumer Device: Device that supports Remote SIM Provisioning as defined by GSMA SGP.21 and SGP.22.

Device: User equipment used in conjunction with an eUICC to connect to a mobile network. E.g. a tablet, wearable, smartphone or handset.

eUICC: A removable or non-removable UICC which enables the local management of Profiles in a secure way. Note: This term originates from “embedded UICC”.

It is a UICC that supports “over the air” provisioning of an initial operator subscription and the subsequent change of subscription from one operator to another in accordance with GSMA specifications.

Local Profile Assistant (LPA): A functional element in the Device or in the eUICC that provides the Local Profile Download (LPD), Local Discovery Services (LDS) and Local User Interface (LUI) features. When the LPA is located in the Device, they are called LPA_d, LPD_d, LUI_d, LDS_d. When the LPA is located in the eUICC, they are called LPA_e, LPD_e, LUI_e, LDS_e. Where LPA, LPD, LDS or LUI are used, they apply to the element independent of its location in the Device or in the eUICC.

M2M Device: Equipment into which an Embedded UICC and a communication module are inserted during assembly that supports Remote SIM Provisioning as defined by GSMA SGP.01 and SGP.02. Examples include Utility meter, car and camera.

Operator: A Mobile Network Operator or Mobile Virtual Network Operator; a company providing wireless cellular network services.

Profile: A combination of data and applications to be provisioned on a eUICC for the purpose of providing services.

Profile Policy Rule: Defines a qualification for or enforcement of an action to be performed on a Profile when a certain condition occurs.

Service Provider: The organization through which the End User obtains PLMN telecommunication services. This is usually the Network Operator or possibly a separate body.

Subscription: Describes the commercial relationship between the End User and the Service Provider.

SMDP+: This role prepares Profile Packages, secures each with a Profile protection key, stores Profile Protection keys in a secure manner as well as the Protected Profile Packages in a Profile Package repository, and links the Protected Profile Packages to specified EIDs.

The SM-DP+ binds Protected Profile Packages to the respective EID and securely downloads these Bound Profile Packages to the LPA of the respective eUICC.

SM-DP: Role that prepares Operational and Provisioning Profiles to be securely provisioned on the eUICC and manages the installation of the Profile on the eUICC.

SM-SR: Role that which allows secure transport of both Platform and Profile management commands in order to load, enable, disable and delete Profiles on the eUICC.

UICC: It is the hardware used in mobile devices that contains SIM and/or USIM applications enabling access to GSM, UMTS/3G and LTE networks.

3.2 Abbreviations

CI	Certificate Issuer
DLOA	Digital Letter Of Approval
EID	Embedded UICC Identifier
eUICC	Embedded UICC
EUM	eUICC Manufacturer
E-UTRAN	Evolved UMTS Terrestrial Radio Access Network
GSM	Global System for Mobile communications
GSMA	GSM Association
IoT	Internet of Things
LTE	Long Term Evolution (also known as E-UTRA)
LPA	Local Profile Assistant
LPD	Local Profile Download
LDS	Local Discovery Services
LUI	Local User Interface
M2M	Machine to Machine
PLMN	Public Land Mobile Network
SAS	Security Accreditation Scheme
SAS-SM	Security Accreditation Scheme for Subscription Manager
SAS-UP	Security Accreditation Scheme for UICC Production
SIM/USIM	Subscriber Identification Module or Universal SIM
SM-DP	Subscription Manager Data Preparation
SM-DP+	Subscription Manager Data Preparation (Enhanced)
SM-DS	Subscription Manager Discovery Server
SM-SR	Subscription Manager Secure Routing
UICC	Universal Integrated Circuit Card
UMTS/3G	Universal Mobile Telecommunications System - 3rd Generation mobile cellular system

4 eUICC SMT – M2M Servers

4.1 General Requirements

4.1.1 Section 4 of this document focuses on security and functional requirements of the M2M Server (comprising SM-DP and SM-SR) as shown in Figure 1, extracted from the GSMA SGP.02 [2] specification. Separate configuration requirements for the M2M Device are set out in the IMDA Technical Specification for eUICC Subscription Management Technology (SMT) – M2M Device (IMDA TS eUICC SMT-M2M-Device).

4.1.2 As shown in Figure 1, subscription management for the M2M Device is pushed from the M2M Server, where eUICC profile loading and management are pushed by an off-device component (i.e. SM-SR) into eUICC.




Figure 1: eUICC Remote Provisioning System (Figure 1 of GSMA SGP.02 [2])

4.2 Technical Requirements

4.2.1 Vendors of SM-DP products SHALL ensure that compliance declarations have been submitted to and verified by GSMA according to the M2M Compliance Process (GSMA SGP.16 [4]), which include:

- a. Compliance with the applicable requirements defined in the GSMA M2M Architecture and Technical Specification (GSMA SGP.01 [1] and SGP.02 [2]);
- b. SM-DP functional testing performed according to the Remote Provisioning Architecture for Embedded UICC Test Specification (GSMA SGP.11 [3]); and
- c. Production sites for SM-DP accredited according to the SAS-SM (GSMA FS.08 [9] and GSMA FS.09 [10]).

4.2.2 Vendors of SM-SR products SHALL ensure that compliance declarations have been submitted to and verified by GSMA according to the M2M Compliance Process (GSMA SGP.16 [4]), which include:

- a. Compliance with the applicable requirements defined in the GSMA M2M Architecture and Technical Specification (GSMA SGP.01 [1] and SGP.02 [2]);
- b. SM-SR functional testing performed according to the Remote Provisioning Architecture for Embedded UICC Test Specification (GSMA SGP.11 [3]); and

c. Production sites for SM-SR accredited according to the SAS-SM (GSMA FS.08 [9] and GSMA FS.09 [10]).

4.2.3 Data centres hosting SM-DP and SM-SR SHALL be GSMA SAS-SM accredited (GSMA FS.08 [9] and GSMA FS.09 [10]), and ISO 27001 [11] certified.

5 eUICC SMT – Consumer Servers

5.1 General Requirements

5.1.1 Section 5 of this document focuses on security and functional requirements of the Consumer Server (comprising SM-DP+ and SM-DS) as shown in Figure 2, extracted from the GSMA SGP.22 [6] specification. Separate configuration requirements for the Consumer Device are set out in the IMDA Technical Specification for eUICC Subscription Management Technology (SMT) – Consumer Device (IMDA TS eUICC SMT-CE-Device).




Figure 2: Remote SIM Provisioning System, LPA in the Device (Figure 1 of GSMA SGP.22 [6])

5.1.2 As shown in Figure 2, subscription management for the Consumer Device is pulled from the Consumer Server by the End User via a Local Profile Assistant (LPA) after obtaining commercial agreement from the Service Provider. The LPA MAY be located in the eUICC depending on the use-case.

5.1.3 Apart from the Device shown in Figure 2, a primary device (mobile) and a companion device (wearable) MAY also constitute the Consumer Device. In which case, the LPA is located in the primary device and the eUICC is in the companion device.

5.1.4 Referring to section 4.13.2 of the GSMA SGP.21 [5] which defines the Profile Policy Management requirements, amendment is made to Policy number 2 (POL2), whereby each Profile SHALL NOT have Profile Policy Rules

associated with itself, thus removing the option for each Profile to have its associated Profile Policy Rules.

5.1.5 Similarly, referring to section 2.9.1 of GSMA SGP.22 [6] that defines the Profile Policy Rules, amendment is made whereby Profile Owners are not allowed to define the Profile Policy Rules, set by the SM-DP+ in the Profile Metadata.

5.1.6 No SIM Lock

As each Profile SHALL NOT have Profile Policy Rules associated with itself, the Consumer Device SHALL NOT be permanently locked with a particular Profile.

5.2 Technical Requirements

5.2.1 Vendors of SM-DP+ products SHALL ensure that compliance declarations have been submitted to and verified by GSMA according to the RSP Compliance Process (GSMA SGP.24 [8]), which include:

- a. Compliance with the applicable requirements defined in the GSMA Consumer RSP Architecture and Technical Specification (GSMA SGP.21 [1] and GSMA SGP.22 [2]);
- b. SM-DP+ functional testing performed according to the RSP Test Specification (GSMA SGP.23 [7]); and
- c. Production sites for SM-DP+ accredited according to the SAS-SM (GSMA FS.08 [9] and GSMA FS.09 [10]).

5.2.2 Vendors of SM-DS products SHALL ensure that compliance declarations have been submitted to and verified by GSMA according to the RSP Compliance Process (GSMA SGP.24 [8]), which include:

- a. Compliance with the applicable requirements defined in the GSMA Consumer RSP Architecture and Technical Specification (GSMA SGP.21 [5] and GSMA SGP.22 [6]);
- b. SM-DS functional testing performed according to the RSP Test Specification (GSMA SGP.23 [7]); and
- c. Production sites for SM-DS accredited according to the SAS-SM (GSMA FS.08 [9] and GSMA FS.09 [10]).

5.2.3 Data centres hosting the SM-DP+ and the SM-DS SHALL be GSMA SAS-SM accredited (GSMA FS.08 [9] and GSMA FS.09 [10]), and ISO 27001 [11] certified.